
# Franke Specialist Range

Innovative designs with style



For kitchens without compromise.







With the Franke Specialist Range, we have drawn upon all of our experience to craft an inspirational collection that combines design excellence with style.

This superb choice of state-of-the art sink designs is offered in a wide range of durable materials, shapes and sizes. Whether you seek a cutting edge contemporary or modern classic look, a selection of elegant taps is available to fully complement each individual style.

Franke has been at the forefront of kitchen sink innovation since the company was founded in Switzerland almost a century ago. Since then we've established efficient and economic manufacturing facilities all around the world. These allow us to offer competitively priced products and still maintain immaculate standards of design, production and high-grade materials.

### **Coordinating Designer Packs**

To make our quality even more affordable and to help you choose from the extensive Specialist Range, we've devised coordinating Designer Packs. Each pack comprises a sink, a complementary tap, and in some cases matching accessories to form the perfect package. However, we still want to offer you as much flexibility as possible, so feel free to select the tap of your choice from the full range shown on pages 38-47.

### Peace of mind with Franke quality

We have absolute confidence in the unparalleled quality of our sinks. That's why we offer a 50 year guarantee against any manufacturing defects.



3

## Stainless Steel Inset Sinks

Immaculate in both form and function Made from premium quality chrome nickel steel – the perfect material for ensuring cleanliness and hygiene. These sinks look beautiful, are resistant to staining, chipping, rust and corrosion. Available in a number of finishes – including silk, brushed, linen and 'Microdekor' – a warm, subtle surface that's delightful to touch. Available in a variety of styles to suit your kitchen ■ Hardwearing and hygienic ■ Sleek, elegant styling ■ Shown with complementary tap designs Mythos MMX 651 sink with Mythos MTX Chrome tap














## Specialist Range







Finish

LHD 101.0066.683

RHD 101.0066.686



611 Sliding Glass Food

Preparation Platter €96 112.0039.129





10

# Rotondo Pictured Sink 101.0033.751 Pictured Tap 115.0049.940

Finish









## Suggested WDU All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



## Sink Only Price

RBX 610 €323

## Tap Only Price

€215

# Plumbing Kit Siphon I plumbing kit available €24 112.0059.946





Brushed 101.0033.751



Drainer Basket Stainless Steel 112.0050.639 €152



Finish 11341









112.0017.788

112.0050.988









# **Kubus Glass Sinks**



Franke Kubus glass sinks are made from toughened glass and are able to cope with even the most demanding hardwearing environment. Perfect for that modernistic, aesthetic statement in the kitchen, the highly reflective perimeter surface and matt drainer area are available in either sleek Black or Aqua tones. They're clearly the last word in elegance. For more information and demonstration video visit **www.franke.co.uk** 







Made from kiln-fired porcelain for a tough, smooth gloss finish able to stand up to even the harshest treatment. Franke Ceramic sinks have a fingertip-smooth high-gloss finish designed to look perfectly pristine – even after years of loyal and hard-working service.







## **Belfast**





Suggested Alternative Tap All tap options on p38-49 Belfast in Chrome 115.0049.997

Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 **€298** 134.0049.848



Plumbing Kit Siphon I plumbing kit available €24 112.0059.946



BFX 710 €736

Tap Only Price

€252


123.0050.185



Finish Ceramic

White

130.0049.875



Chrome 115.0049.962

115.0049.963 (see page 44)

SilkSteel



Particularly pleasing when combined with solid granite, wood or solid surface worktops, undermount sinks allow for smooth, uninterrupted surface lines. These sinks are fitted underneath the worktop cut-out so that the sink edge doesn't rise above the level of the work area. Franke Undermount sinks are available in single, double and multi-bowl configurations in a wide range of shapes and sizes.

## Bolero

## BOX 160D Stainless Steel & Planar Chrome tap



Suggested Alternative Tap All tap options

Planar

on p38-49

in SilkSteel €460 115.0050.000



Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



Plumbing Kit Siphon II plumbing kit available €36 112.0052.536



BOX 160D €695

€432

## Bolero

BOX 110 17 + BOX 110 35 Stainless Steel & Planar Chrome tap

LHSB 122.0049.818 RHSB 122.0049.819

The ultimate geometric shapes for sharp profiles

Silk

in granite surfaces. Pictured Sinks BOX 110 17 BOX 110 35 Pictured Tap 122.0049.817 122.0049.815 115.0049.999 Available at extra cost Cabinet width 800mm assumes 50mm bridge

Finish

Silk

BOX 110 17 - 122.0049.817 BOX 110 35 - 122.0049.815

4 WEEK DELIVERY

€87 112.0050.988

Rollamat 40

112.0050.988

Planar in SilkSteel €460

All tap options on p38-49



Suggested Alternative Tap

Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 add €298 134.0049.848




€36 112.0052.536



Tap Only Price

€432







Suggested Alternative Tap
All tap options
on p38-49

Olympus
Side Spray
in Chrome
€436
115.0051.538

### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



# Plumbing Kit Siphon I plumbing kit available €24

112.0059.946



### Sink Only Price

UKX 110 45 €270

## Tap Only Price

€290

## Largo

LAX~110~45~Stainless Steel & Olympus Chrome tap



Suggested Alternative Tap
All tap options
on p38-49

Olympus
Side Spray
in Chrome
€436
115.0051.538

### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



Plumbing Kit
Siphon I plumbing
kit available
€24
112.0059.946



## Sink Only Price

LAX 110 45 €277

### Tap Only Price

€290

€87 112.0050.988

122.0066.736

Silk





Suggested Alternative Tap All tap options on p38-49 Olympus Side Spray in Chrome 115.0051.53

### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848

Plumbing Kit Siphon I plumbing kit available

112.0059.946



LAX 110 50 €290

### Tap Only Price

€290

Rollamat 40

€87 112.0050.988

112.0050.988

## Oceana

Finish



122.0035.334

Silk

Silk

122.0052.085



Suggested Alternative Tap All tap options on p38-49 Olympus Side Spray in Chrome 115.0051.53

### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 **€298** 134.0049.848



Plumbing Kit Siphon I plumbing kit available €24 112.0059.946



OAX 110 €595

OAX 110 €290



Suggested Alternative Tap All tap options on p38-49 Olympus Side Spray in Chrome 115.0051.538

Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



Plumbing Kit Siphon II plumbing kit available

112.0052.536



ARX 160 €483

Tap Only Price

€290

Finish

LHSB 122.0040.304 RHSB 122.0040.305

RHSB 122.0040.389

Strainer Bowl S/Steel €102 Silk 112.0006.086 High Gloss 112.0006.090

Drainer Basket S/Steel €121 112.0050.241

Food Preparation Platter €85 112.0050.267

Rollamat 40 112.0050.988

Ariane



112.0040.821

Suggested Alternative Tap All tap options on p38-49 Olympus Side Spray in Chrome 115.0051.53

Suggested WDU All WDU options on p53

Franke Turbo WDU-500

**€298** 134.0049.848



Plumbing Kit Siphon II plumbing kit available €36 112.0052.536



ARX 160D €553

€290

112.0050.988

112.0050.241

112.0050.267





112.0050.988

112.0050.988



Silk


Silk


122.0032.918

122.0021.417









28







Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848

Plumbing Kit Siphon II plumbing kit available

112.0052.536



Sink Only Price

KBX 160 45-20 €527

Tap Only Price

€322


## Kubus




Franke Turbo



KBX 120 34-34











### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



Plumbing Kit Siphon II plumbing kit available

€36 112.0052.536



KBG 110 16 €244

KBG 110 50 €387

### Tap Only Price

€322







### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848




Plumbing Kit Siphon I plumbing kit available

112.0059.946



**RUX 110** €298

### Tap Only Price



## Franke by V&B

VBK 110 21 + VBK 110 33 Ceramic & Eiger (White Levers) Chrome tap



Suggested Alternative Tap All tap options on p38-49 Gotthard

(White Lever) in Chrome €306 115.0049.995



Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



Plumbing Kit Siphon II plumbing kit available

112.0052.536



## Sink Only Price

VBK 110 21 VBK 110 21 White €278 €368 VBK 110 33 VBK 110 33 White Black €368 €465

### Tap Only Price

## Franke by V&B

## VBK 160 Ceramic & Eiger Chrome tap





Fuji in Chrome €270 115.0049.985



### Suggested WDU

All WDU options on p53

Franke Turbo WDU-500 €298 134.0049.848



# Plumbing Kit Siphon II plumbing kit available €36

112.0052.536



VBK 160 - White €681 NEW VBK 160 - Black €604

## **Undermounted Installation Guide**

## Installing your undermount sink


A template and fixing clips are provided in the sink box. Some circumstances may allow for fitting a bowl directly to the worktop. We would recommend the use of a sealant between the flange of the sink and the worktop to avoid any water ingress. In all cases you are advised to consult your supplier.




Alternative fixing systems



Templates provided
\*VBK 160, VBK 110 21 & VBK 110 33 cannot be fitted with a reveal due to unglazed flange.





## Franke G-Clip

## The next-generation installation system

The new patented Franke G-Clip system is a revolution in the installation of undermounted sinks, with considerable time savings. With this system you will see no visible difference from traditional fixing methods, whilst gaining the benefits of less installation time and effort required.



The innovative technology distributes weight from the sink bowl laterally through the use of simple metal clamps that can be fitted in minutes and are strong enough to withstand more than a 100kg weight. The application of sealant ensures a watertight seal, with the G-Clip system firmly holding the sink in place.

G-Clips can easily be removed with a simple tap from a hammer.

For more information and demonstration video visit www.franke.co.uk/gclip



## Franke Rollamat


## Truly versatile, the Franke Rollamat is an essential accessory for every kitchen

This multi-purpose item can help protect sink and kitchen surfaces and is extremely useful for hot pans, heavy objects and for defrosting food items. It also provides the ideal draining surface for modern flat draining areas on minimalist sinks and can be easily rolled up and conveniently stored away after use. This flexible little helper is dishwasher safe and will be a welcome addition to any hardworking kitchen. The Franke Rollamat is available in two sizes:

Rollamat 38	112.0050.989	
383 x 344mm (Mythos MTK only)		€87
Rollamat 40	112.0050.988	
400 x 400mm		€97









Ideal draining surface for minimalist sinks.

## **Plumbing Kits**

## The perfect plumbing solution


Made of rigid grey polypropylene, these plumbing kits are the hygienic solution to a Franke sink waste system. Some sinks in this brochure require a plumbing kit to be purchased separately. The plumbing kits recommended within this brochure are shown below.





All prices inclusive of V.A.T. @ 21%





(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

1 The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow. All prices inclusive of V.A.T @ 21%

## Specialist Range




(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase. The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow. All prices inclusive of V.A.T. @ 21%



(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.


Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator® providing a champagne-like flow. All prices inclusive of V.A.T @ 21%

## Specialist Range



(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow. Retro fit white lever options are available for the Eiger and Gotthard taps.


All prices inclusive of V.A.T @ 21%



133.0050.711 133.0050.713



Gotthard option: 133.0050.709 Chrome



(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

1 The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator<sup>®</sup> providing a champagne-like flow. All prices inclusive of V.A.T @ 21%


# Franke Triflow

The patented Franke Triflow delivers water in separate channels –

dispensing hot, cold, mixed or filtered.

Combining the considered beauty of our most stylish designs and the technologically advanced ceramic water filtration system of the Franke Triflow family, the products in the Franke Specialist range are the perfect addition to any modern kitchen.

These desirable taps are a stunning complement to many of the Franke sinks in the range, creating a coordinated look with effortless style. The Franke Triflow taps in the Specialist range deliver hot, cold and filtered water using an advanced ceramic cartridge. This water filtration system is protected by a robust stainless steel housing on all Specialist Franke Triflow taps, adding reassuring durability to elegant aesthetics.







(1) Ceramic disc tap – may require a 4 metre head of water in a conventional plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation. Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees. Franke\* Triflow\*\* are registered trademarks of \*Franke and \*\*Triflow Concepts Ltd respectively.

All prices inclusive of V.A.T @ 21%

# Franke Trispray

All the superb benefits of Franke Triflow with an added feature, the Franke Trispray system is for kitchens that demand that little bit more.


The precision engineered taps of the Franke Trispray range boast the full complement of features that are present in the Franke Triflow range — including its advanced water filtration system — but also offers an additional side spray which is usually fitted into a solid surface worktop, up to one metre away from the tap.

The ideal hygienic kitchen solution, the spray is perfect for rinsing food as part of meal preparation and dispenses hot, cold or mixed water from the main supply. Each spray is also specifically designed to reflect the aesthetic of the particular tap that it accompanies.

NB. Hand rinse cannot be fitted retrospectively to standard Franke Triflow models.







Reccommended minimum hot pressure for Franke Trisprays is 1 bar.

(1) Ceramic disc tap – may require a 4 metre head of water in a conventional plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.


The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

# Franke Little Butler

Forget waiting for the kettle to boil. With the Franke Little Butler hot water tap, near-boiling water for tea, coffee, soups and cooking is at your fingertips whenever you need it.

Convenient, simple and easy to operate, the Franke Little Butler is the perfect sink-side addition for a busy kitchen. The Franke Little Butler 2000 offers all the features of the Franke Little Butler 1000 but with two levers and has the added advantage of dispensing perfectly filtered drinking water on tap.


Enjoy freshly filtered water free of contaminants, impurities and bad odours. Compact and unobtrusive, the easily replaceable cartridge's unique properties remove bacteria, contaminants, cysts, chemicals and odours. You can have both steaming hot and filtered water — right at your fingertips.



# Soap Dispenser



Available in Chrome or SilkSteel, the Franke Soap Dispenser provides a fast and easy to operate neat hand pump for all liquid soaps. It fits neatly and unobtrusively alongside sinks in the worktop, its design carefully chosen to complement the qualities of the Specialist tap range.




# Waste Bin



The Franke Waste Bin is an inset stainless steel system with a standard 12 litre polyethylene container. This clever feature fits flush with the worktop, allowing you to scoop in waste with ease. Replace the cover and the unit is concealed with odours safely sealed inside. The container simply lifts out when it needs emptying.

3 WEEK DELIVERY



280

47




# Waste Disposal Units

A choice of four units designed to free the kitchen of unsightly and unhygienic organic household waste. Each unit is the essential add-on for ensuring that all Franke appliances and work surfaces remain looking immaculate.

Thanks to a unique permanent magnet motor, Franke Turbo Waste Disposal Units reach high speed in a split second, producing more torque per kilo than any other of its type. Whilst running water through the unit, food waste is instantly liquefied into fine particles that are easily flushed through the pipework system.









<sup>\*</sup>Continuous Feed models are operated by an Air Switch (or alternative) and waste food is fed through the open neck of the unit.

# Franke Waste Sorters

Our aim to bring Franke excellence to every aspect of the kitchen continues with the introduction of more options to aid with the environmentally friendly sorting and disposal of household waste.



# Soft-close drawer systems

The Franke 350 series waste sorters have been designed to be installed into modern soft-close drawer systems including Blum (Tandembox), Hettich (Quadro V6) and Grass (Nova pro)\*. The Sorter Solo 50 and Solo 60 are mounted on a standard cabinet side wall to offer a convenient waste solution.

#### 3 WEEK DELIVERY

# Sorter 350-50

- Includes system lid with integrated charcoal filter.
- Received in cabinet floor.



#### 3 WEEK DELIVERY

#### Sorter 350-60

- Includes system lid with integrated charcoal filter.
- Received in cabinet floor.



#### 3 WEEK DELIVERY

#### Sorter Solo 50 & Solo 60

- ullet 40 litre waste bin, take 35 litre bag or 2 x 17 litre bags
- Includes system lid with integrated charcoal filter
- Mounted on standard cabinet side wall



Cabinet width

Solo 50 fits 500mm cabinets Solo 60 fits 600mm cabinets Solo 50 €127 121.0030.542

Solo 60 €143

As separating household waste into recyclable groups becomes more of a green lifestyle necessity, Franke Sorter systems are a useful addition to any kitchen, fitting neatly into most 500mm and 600mm cabinets. Franke waste systems feature separate plastic containers to sort domestic waste into different categories such as food, cans, plastic and paper, which can then be systematically disposed of or recycled. A lid closes over the bins to contain any odours. Franke Sorters are the natural alternative to the conventional waste bin.



# Standard door systems

The Franke 700 series sorter systems are a useful addition to any kitchen with standard doors, fitting neatly into 500mm and 600mm kitchen base units. With both pedal-operated and hand-operated versions available, Franke Sorters are the natural alternative to the conventional waste bin. The 700 series is available as either a foot-activated 'Kickmatic' model or the easy-to-use hand-operated 'Motion' soft-close mechanism. Each bin has a handle that can also be used to secure waste bags. The roll-out carrier is fully waterproof, simple to dismantle and easy to clean.

#### 3 WEEK DELIVERY

Sorter 700 M 45 Sorter 700 K 45





Sorter 700 M 60
Sorter 700 K 60



#### Stainless Steel Sinks

#### Ariane

ARX 654



Overall size: Bowl sizes:

1000 x 510 350 x 435 x 180 170 x 320 x 135 Cut-out size: 984 x 494 **cr**=20

Cabinet size: 600 Finish:

Silk LHD 101.0018.651 RHD 101.0018.652

#### Beach

BBX 651



Overall size: Bowl size: Cut-out size:

1000 x 510 560 x 425 x 175 984 x 494 **cr**=20 Cabinet size: 600 Finish: Silk

### Compact

CPX 610



Bowl size: Finish:

Overall size: 400 x 480 340 x 420 x 175 Cut-out size: 384 x 464 cr=20 Cabinet size: 450 Silk SEC. 1885 101.0018.203

CPX 611 780



**Overall size:** 780 x 500 **Bowl size:** Cut-out size: 764 x 484 cr=20 Cabinet size: 450 Finish:

Silk LHD 101.0066.066 RHD 101 0066 080

340 x 420 x 175

CRX 651



**Overall size:** 965 x 500 340 x 420 x 175 165 x 300 x 130 **Bowl sizes:** 949 x 484 cr=20

Cut-out size: Cabinet size: 600 Finish: Silk

化物化 由 1 101.0018.860

3 WEEK DELIVERY

CPX 651



**Overall size:** 965 x 500 **Bowl sizes:** 

Cut-out size: Cabinet size: 600 Finish:

340 x 420 x 175 165 x 300 x 130 949 x 484 cr=20 Silk

Z (1982) 27 11 LHD 101.0066.084 RHD 101.0066.129 CPX 652-E



3 WEEK DELIVERY

**Overall size:** 1050 x 500



340 x 420 x 175 165 x 300 x 130 Cut-out size: 1034/584 x 484 Cabinet size: 600 Silk

**医**里耳提供力 101.0066.154 CNX 660



Overall size: 615 x 500 340 x 420 x 175 175 x 330 x 130 Bowl sizes:

Cut-out size: 599 x 484 **cr**=20 Cabinet size: 600 Finish:

Silk SERVICE OF THE PROPERTY. 101.0066.051

#### Infinito

INX 611



Overall size: 1000 x 500 Bowl size:

Cut-out size: Cabinet size: 600 Finish:

Silk 20000000

STX 621-E



3 WEEK DELIVERY



LHD 101.0022.105 RHD 101.0022.104

450 x 400 x 190

980 x 480 **cr**=20





Overall size: 830 x 830 400 x 340 x 190 Bowl sizes:

300 x 340 x 170 Cut-out size: Utilise template Cabinet size: 900 x 900 corner unit Finish: Silk

State of the state I HD 101 0022 125 RHD 101.0022.124

### Laser

LSX 611



Overall size: 895 x 510 Bowl size:

390 x 445 x 175 882 x 497 cr=10 Cut-out size: Utilise template Cabinet size: 500 Finish:

Silk LHD 101.0066.683 RHD 101.0066.686



Finish:

Overall size: 990 x 500 **Bowl sizes:** 

350 x 435 x 180 165 x 300 x 130 977 x 487 **cr**=10 Utilise template Cut-out size: Cabinet size: 600

> Silk 200 LHD 101.0046.522 RHD 101.0046.523

## Mythos

MMX 611



Bowl size: Cut-out size:

**Overall size:** 1000 x 520 450 x 400 x 197 984 x 509 **cr**=20 Cabinet size: 500 Finish: Silk 

LHD 101.0051.470 RHD 101.0051.471 MMX 651



Overall size: 1000 x 520 **Bowl sizes:** 340 x 400 x 192

160 x 400 x 135 Cut-out size: 989 x 509 cr=20 Cabinet size: 600 Finish: Silk

图的ASW L LHD 101.0051.473 RHD 101.0051.475

#### Nobel

NOX 614



 Overall size:
 965 x 500

 Bowl size:
 420 x 420 x 180

 Cut-out size:
 949 x 484
 cr=20

 Cabinet size:
 500†

 Finish:
 Silk

LHD 101.0019.460 RHD 101.0019.467

<sup>†</sup>Cabinet width may require modification to accommodate overflow.

#### Planar

PPX 611



 Overall size:
 1000 x 510

 Bowl size:
 470 x 410 x 195

 Cut-out size:
 984 x 494 cr=20

 Utilise template

Cabinet size: 600 Finish: Silk

LHD 101.0045.976 RHD 101.0050.482 PPX 651



Overall size: 1000 x 510

Bowl sizes: 340 x 410 x 195
160 x 410 x 130

Cut-out size: 984 x 494 cr=20 Utilise template Cabinet size: 600

Finish: Silk

LHD 101.0027.766 RHD 101.0025.289

#### Rotondo

RBX 610



Overall size: Ø440
Bowl size: Ø395 Diameter x 170 Depth
Cut-out size: Ø425
Cabinet size: 500

sh: Brushed 101.0033.751 0

**RBX 604** 

Overall size: ø440
Bowl size: ø395 Diameter x 35 Depth

Cut-out size: ø425
Cabinet size: 500
Finish: 901ished

101.0050.182

#### HK

UKX 612



Overall size: 1500 x 500

Bowl size: 450 x 360 x 180

Cut-out size: 1484 x 484 cr=20

Cabinet size: 500
Finish: Silk

101.0018.930

### Fragranite

### Mythos

MTG 611



 Overall size:
 1000 x 515

 Bowl size:
 500 x 390 x 200

 Cut-out size:
 984 x 494 cr=10

Utilise template
Cabinet size: 600

MTG 651-100

Finish: SilkSheen Polar White

LHD 114.0046.313 RHD 114.0046.314

**KBV 651** 

Overall size: 1000 x 515

Bowl sizes: 360 x 390 x 200
160 x 390 x 140

Cut-out size: 984 x 494 cr=10
Utilise template

Graphite

LHD 114.0046.310

RHD 114.0046.311

Cabinet size: 600

# Glass

Polar White

LHD 114.0045.906

RHD 114.0045.305

#### Kubus

KBV 611



 Overall size:
 1000 x 530

 Bowl size:
 450 x 400 x 180

 Cut-out size:
 980 x 510

 Cabinet size:
 500



Overall size: 1000 x 530

Bowl sizes: 340 x 400 x 175
160 x 400 x 130

Cut-out size: 980 x 510 Cabinet size: 600

Finish: Glass

Aqua LHD 101.0052.361 RHD 101.0052.367 Black LHD 101.0052.390 RHD 101.0052.393

LHD 114.0046.308

RHD 114.0046.309

Finish: Glass Aqua LHD 101.0052.370

Black
LHD 101.0052.397
RHD 101.0052.398

# Belfast/Ceramic Inset

### Belfast

VBK 710



Overall size: 600 x 500 565 x 430 x 180 Ext. bowl depth: 200 Bowl size:

Cut-out size: N/A Cabinet size: 600 Finish:

VBK 710-60



**Overall size:** 595 x 630 535 x 440 x 185 Ext. bowl depth: 220 Bowl size:

Cut-out size: N/A Cabinet size: 600 Finish:

Ceramic White 130 0049 877

**VBK 720** 



**Overall size:** 800 x 500

370 x 465 x 200(x2) Ext. bowl depth: 220 Bowl sizes:

Cut-out size: N/A Cabinet size: 800 Finish:

Ceramic White 130 0049 876

NB: Tap Centres 190mm

Mythos



**Overall size:** 1000 x 510 505 x 350 x 200 Bowl size: **Cut-out size:** 970 x 480 **cr**=20 Cabinet size: 600

Ceramic White

130.0049.875

MTK 651



 Overall size:
 1000 x 510

 Bowl sizes:
 300 x 350 x 200

 175 x 350 x 155

 Cut-out size: 970 x 480 cr=20 Cabinet size: 600

Finish: Ceramic Black White

LHD 124.0050.117 RHD 124.0050.118

Finish: Ceramic

White

Black

LHD 124.0050.121 LHD 124.0050.123 RHD 124.0050.122 RHD 124.0050.124

**VBK** 

VBK 651



Overall size: 1000 x 510 Bowl sizes:

345 x 400 x 170 140 x 250 x 110 **Cut-out size:** 970 x 470 **cr**=20 Cabinet size: 600 Finish: Ceramic White

LHD 124.0049.872 RHD 124.0049.873

Belfast



Bowl size:

**Overall size:** 600 x 500 500 x 400 x 200 Ext. bowl depth: 200 Cut-out size: N/A

Cabinet size: 600

Sec. 30.5 123.0050.185

**LHD** = Left Hand Drainer. **RHD** = Right Hand Drainer. **LHSB** = Left Hand Small Bowl. **RHSB** = Right Hand Small Bowl. **cr** = corner radius. All prices inclusive of V.A.T @ 21%

# Single Bowl Undermount Sinks

#### Ariane

ARX 110 17



Bowl size: 170 x 320 x 130 Cut-out size: Utilise template Cabinet size: 300

112.0046.532

ARX 110 17D

Compact

Bowl size: Cabinet size: 300

170 x 435 x 130 Cut-out size: Utilise template

112.0046.414

ARX 110 33

Bowl size: 330 x 350 x 160 Cut-out size: Utilise template Cabinet size: 500

S. State of the Land 122.0036.285

3 WEEK DELIVERY

ARX 110 35



350 x 435 x 180 Bowl size: Utilise template Cut-out size: Cabinet size: 500 Finish:

Silk A STATE OF THE PARTY OF THE PAR 122.0036.336

CPX 110 16

165 x 300 x 130 Bowl size: Utilise template Cut-out size: Cabinet size: 300 Finish:

Silk E30810 112.0046.088 CPX 110 34



Bowl size: 340 x 420 x 175 Utilise template Cabinet size: 500 Finish:

Silk Section 1 122.0035.386

Largo

LAX 110 45



Bowl size: 445 x 390 x 175 Cut-out size: Utilise template Cabinet size: Finish: Silk

LAX 110 50



Bowl size: Cut-out size: Utilise template Cabinet size: 600 Finish:

Silk 14.25 - A. 122.0035.334

500 x 350 x 180

Oceana OAX 110<sup>†</sup>



Bowl size: 710 x 430 x 226 Cut-out size: Utilise template Cabinet size: 800 Finish: Silk **经产的现在分** 

122.0052.085

Rotondo **RUX 110** 



Bowl size: ø395 x 170 Cut-out size:

Utilise template Cabinet size: 500 Finish:

**美国工作** 127.0050.183 UKX 110 45



Bowl size: Cut-out size:

Finish:

450 x 360 x 180 Utilise template Cabinet size: 500 Silk

122.0036.577

Multi-Bowl Undermount Sinks

Ariane

ARX 160



**Bowl sizes:** 350 x 435 x 180 170 X 320 X 130 Cut-out size: Utilise template Cabinet size:

600 Silk

Finish:

Finish:

A CANADA LHSB 122.0040.304 RHSB 122.0040.305 **ARX 160D** 



Bowl sizes:

Cut-out size: Cabinet size: Finish:

350 x 435 x 180 170 x 435 x 130 Utilise template 600 Silk

86.23 LHSB 122.0040.388 RHSB 122.0040.389

Compact **CPX 160** 



Bowl sizes: 340 x 420 x 175 165 X 300 X 130 Utilise template Cut-out size:

Finish:

Cabinet size: 600 Silk

LHSB 122.0040.278 RHSB 122.0040.279

Galassia

GAX 120



450 x 400 x 190 300 X 340 X 170 Cut-out size: Utilise template Cabinet size:

Silk 122.0021.417

Regatta

RGX 1201



**Bowl sizes:** 395 x 480 x 230(x2) Cut-out size: Utilise template Cabinet size: 1000 Finish:

Silk BERNALD III 122.0032.918

Right hand small bowl only.

#### Beach Undermount Sink

#### Beach

BBX 160‡



Bowl size: Cabinet size: 600 Finish:

560 x 425 x 175 Cut-out size: Utilise template

> Silk **国内发展**(4)

### **Bolero Undermount Sinks**

#### Bolero

BOX 110 17



170 x 320 x 130 Bowl size: Cut-out size: Cabinet size: 300 Finish:

Utilise template Silk The 2 State State

BOX 110 35



Bowl size: Cut-out size: Cabinet size: Finish:

Utilise template 500 Silk 122.0049.815

350 x 435 x 185

BOX 110 50



Bowl size: 500 x 435 x 185

Cut-out size: Utilise template Cabinet size: 600 A/4/03/05

Finish:

122 0049 816

**BOX 160D** 



**Bowl sizes:** 

340 x 400 x 185 150 x 400 x 150 Cut-out size: Utilise template Cabinet size: 600 Finish:

(1000) TO

Silk

LHSB 122.0049.818 RHSB 122.0049.819

### Kubus Stainless Steel Undermount Sinks

#### Kubus

KBX 104 45 A



**Bowl size:** 

450 x 400 x 25 Cut-out size: Utilise template Cabinet size: 500 Finish: Silk

DOM: 112.0043.894

KBX 110 16



160 x 340 x 130 Bowl size: Cut-out size:

Finish:

Utilise template Cabinet size: 300 Silk Finish: DOM: 112.0043.864

KBX 110 20



Bowl size: Cut-out size: Finish:

200 x 400 x 150 Utilise template Cabinet size: 300 Silk

医外部 112.0043.874

KBX 110 34



Bowl size: Cut-out size: Cabinet size: Finish:

Utilise template 500 Silk The State of the S 122.0036.607

340 x 400 x 175

KBX 110 45



Bowl size: 450 x 400 x 180 Cut-out size: Utilise template Cabinet size: 600

Silk To be the 122.0036.608

KBX 110 55

Bowl size: Cut-out size: Cabinet size: 600 Finish:

550 x 400 x 190 Utilise template Silk

在被数据

122.0036.609

KBX 160 34-16



**Bowl sizes:** 340 x 400 x 175 160 x 340 x 130

Cut-out size: Utilise template Cabinet size: 600 Finish:

LHSB 122.0033.122 RHSB 122.0033.137 KBX 160 45-20



**Bowl sizes:** 450 x 400 x 180 200 x 400 x 150

Cut-out size: Utilise template Cabinet size: 800 Finish: Silk

LHSB 122.0033.140 RHSB 122.0033.141

KBX 120 34-34



**Bowl sizes:** 340 x 400 x 175 340 x 400 x 175

Cut-out size: Utilise template Cabinet size: 900 Finish: Silk

122.0061.524

# Kubus Fragranite Undermount Sinks

### Kubus

KBG 110 16



Bowl size: 160 x 400 x 130 Cut-out size: Utilise template Cabinet size: 300

SilkSheen Polar White 125.0046.869 Graphite

125.0046.870

KBG 110 34



Bowl size: 340 x 400 x 210 Cabinet size: 400

Cut-out size: Utilise template SilkSheen Polar White 125.0046.871 Graphite

125.0046.872

KBG 110 50



Bowl size:

500 x 400 x 210 Cut-out size: Utilise template SilkSheen Polar White 125.0046.874 Graphite

KBG 160



340 x 400 x 210 160 x 400 x 130 600

Utilise template SilkSheen Polar White

125.0046.877 Graphite

Right hand small bowl only.

**Bowl sizes:** Cut-out size: Cabinet size: Finish:

125.0046.878

**Ceramic Undermount Sinks** 

#### Rotondo

**RUK 110** 



Bowl size: Cut-out size: Utilise template Cabinet size: 500 Finish/Price: Ceramic

ø390 x 180

White 126.0050.125

Black NEW 126.0066.527

VBK

VBK 160\*



Left hand small bowl only.

343 x 390 x 173 136 x 272 x 103 Cut-out size: Utilise template Cabinet size: 600 Finish/Price: Ceramic

White

126.0050.115

Black 126.0066.532

VBK 110 21

Finish:

Cut-out size: Cabinet size: 500

210 x 390 x 180 Utilise template Ceramic White

NEW 126.0066.541 Black

Cabinet size: 600

125.0046.875

VBK 110 33



Bowl size: Cabinet size: 500 Finish:

325 x 390 x 175 Cut-out size: Utilise template Ceramic White NEW 126.0066.547

Black

### **Specialist Taps**




(1) Ceramic disc tap – may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap – usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow.



(1) Ceramic disc tap – may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap – usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Indicates tap is fitted with a Perlator® providing a champagne-like flow.

NB. No reliance should be placed on dimensions given, which are for guidance only. For full specifications on all Franke products visit www.franke.co.uk

# **Tap Specifications**

### Swiss Pro



(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow.

NB. No reliance should be placed on dimensions given, which are for guidance only. For full specifications on all Franke products visit www.franke.co.uk

### Franke Triflow

#### Franke Triflow Kubus Franke Triflow Olympus Franke Triflow Doric (1) (1) (1) 6 Tap Height: 375 Tap Height: 386 Spout Reach: 235 Spout Reach: 237 Spout Reach: 240 Base Diameter: 47 **Base Diameter:** 53 **Base Diameter:** 60 Tap cut-out: 35 Tap cut-out: 35 Tap cut-out: 35 Finish: Finish: Finish: Chrome Chrome Chrome 120.0050.026 120.0050.032 120.0050.036 SilkSteel SilkSteel SilkSteel 120.0050.028 120.0050.033 120.0050.037 Franke Triflow Tradition Franke Triflow Mini (1) 6 Tap Height: Tap Height: (1) Spout Reach: 210 Spout Reach: 82 Base Diameter: **Base Diameter:** 38 Tap cut-out: Tap cut-out: 12 Finish: Chrome 120.0050.014 Gold 120.0050.015 Chrome 120.0050.040 SilkSteel 120.0050.018 Nickel SilkSteel 120.0050.042 120.0050.016 ☐ Nickel/Gold

# Franke Trispray

#### Franke Trispray Olympus Franke Trispray Doric Franke Trispray Corinthian (1) Tap Height: 386 (1) Tap Height: 386 (1) Tap Height: 375 Spout Reach: 240 Spout Reach: 240 Spout Reach: 230 **Base Diameter:** 60 **Base Diameter:** 60 Base Diameter: 60 Tap cut-out: 35 Tap cut-out: 35 Tap cut-out: 35 Spray base diameter: 50 Spray base diameter: 50 Spray base diameter: 50 Spray cut-out: 30 Spray cut-out: 30 Spray cut-out: 30 Spray height: 127 Spray height: 127 Spray height: 127 Max depth worktop: 57 Max depth worktop: 57 Max depth worktop: 57 Finish: Finish: Finish: Chrome 120.0050.038 Chrome 120.0050.030 SilkSteel SilkSteel 120.0050.031 Chrome 120.0050.025 Franke Trispray Tradition (1) Tap Height: 295 Spout Reach: 210 Base Diameter: 60 Tap cut-out: Spray base diameter: 50 Spray cut-out: 30 Spray height: 127 Max depth worktop: Finish: Chrome 120.0050.019

(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation.

Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.


P Indicates tap is fitted with a Perlator® providing a champagne-like flow.

NB. No reliance should be placed on dimensions given, which are for guidance only. For full specifications on all Franke products visit **www.franke.co.uk**Franke\* Triflow\*\* are registered trademarks of \*Franke and \*\*Triflow Concepts Ltd respectively.
All prices inclusive of V.A.T


All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

# Soap Dispenser


# **Inset Waste Bin**



# **Waste Disposers**



# Sorters – Soft-close drawer systems



Sorter Solo 50

Minimum Cabinet Size 500mm

# When fitting under the sink (particularly undermounts) When fitting under the sink (particularly undermounts) ensure that the dimensions can be accommodated. ensure that the dimensions can be accommodated. Sorter Solo 60 121.0030.542 121.0033.246 419

When fitting under the sink (particularly undermounts) ensure that the dimensions can be accommodated.

**Minimum Cabinet Size 500mm** 


When fitting under the sink (particularly undermounts)

Minimum Cabinet Size 600mm

Minimum Cabinet Size 600mm

ensure that the dimensions can be accommodated.

# Sorter – Standard door systems



When fitting under the sink (particularly undermounts) ensure that the dimensions can be accommodated.

# Franke product brochures all downloadable from www.franke.co.uk

A wealth of Franke expertise and information is available to you via our extensive suite of brochures. They're on hand to inform and inspire you – request yours today.



Pro-Value Range Brochure 994.0067.753

Providing classic Franke quality in Propacks – complementary sink and tap styles in affordable packages. No corners cut, just fantastic Franke products at a reasonable price.

Downloadable and available on request



Decorative Hoods Brochure 994.0067.759

All the new Franke hoods in one brochure – high performance appliances with precision engineering. Franke hoods make a stunning addition to any modern kitchen.

Downloadable and available on request

All brochures are downloadable from www.franke.co.uk or phone the consumer brochure line 0161 436 0209 to get your copy now.

Colours shown are for reference only. All sinks available with left or right hand drainer. The description 'reversible' means that the design enables the same sink to be turned to drainer on the left or drainer on the right. In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. ARX 654 left hand drainer or ARX 654 right hand drainer. All bowls sizes and dimensions are described in mm.



In line with Franke's environmentally friendly policy all our wooden food preparation platters are made from sustainable forests, and are FSC Certified. The FSC is an independent organisation that sets the standards for environmentally responsible forest management.

50 Year Franke sinks are guaranteed against manufacturing defect for 50 years. Franke taps are guaranteed against defective materials and workmanship for 1 year in relation to coatings and finishes, and 5 years in relation to moving parts. Franke will replace (and where appropriate repair) defective sinks. In relation to taps, Franke will, where appropriate, provide replacement parts for your taps or replace your taps at their discretion. Any associated or ancillary costs to be incurred by you as a result of replacement of Franke sinks and taps under this guarantee shall in all cases be previously approved by Franke UK Limited. This guarantee is in addition to and does not affect your statutory rights.

This literature has been produced on chlorine free materials harvested from sustainable forests. The Franke policy is one of continual improvement and Franke reserves the right to alter models and specifications without notice. E & OE.

Member of REPIC for WEEE Regulations. EEE Producer Registration Number - WEE/DG0059TT.

Front cover shows Kubus KBX 120 34-34 sink with Swiss Pro Chrome tap. Q-Stone® Pure White worktop - supplied by Cheshire Marble, Altrincham.

KAL Group Ltd

4078 Kingswood Road

Citywest Business Campus

Dublin 24

Telephone 01 413 6400

Freefax 1800 219 219

info@kal.ie

www.kal.ie

www.franke.ie

994.0067.757 SP 8/03/09

