FR110726 PROFESSIONAL REV2:9734_FrankeProfessional24pp 30/05/2008 10:09 Page 2

KAL Group Ltd

4078 Kingswood Road

Citywest Business Campus

Dublin 24

Telephone: 01 413 6400

Freefax: 1800 219 219

info@kal.ie

www.franke.ie

www.kal.ie

PP 19/05/08



Propacks



For kitchens without compromise.



KITCHEN SYSTEMS

PROFESSIONAL

The Franke Professional Range features a level of craftsmanship that has been gained through almost a century of experience in manufacturing kitchen products.

Founded in Switzerland in 1911, Franke has grown to become the world's largest manufacturer of kitchen sinks. We're also an industry leader in design, quality and innovation — pioneering research and developing new materials and products for the kitchen.

FR110726 PROFESSIONAL REV2:9734_FrankeProfessional24pp 30/05/2008 10:09 Page 5



FR110726 PROFESSIONAL REV2:9734_FrankeProfessional24pp 30/05/2008 10:09 Page 6 Galassia GAK 611 with Danube Chrome Tap

With the Franke Professional Range, we offer the outstanding quality for which Franke are renowned at affordable prices.

It features innovative sink designs in a wide range of materials, shapes and sizes combined with a selection of taps that fully complement each style – from cutting edge contemporary to modern classics.

- Exceptional value Franke have built up a global business that allows for efficient and economic product manufacture. At the same time, we've maintained the highest standards of design, production and high-grade materials. This means we can offer competitively priced products with no compromise on build quality.
- Money-saving Propacks Providing convenient and affordable quality, Propacks comprise a sink, plus a recommended complementary tap. Some are also available with accessory packs (Accpacks) to suit, turning your sink into a versatile work area. You are also free to upgrade to the tap of your choice from any featured from page 18 of this brochure. The Professional range now also features an undermount sink, the Compact CPX 160P.
- Hard wearing and tough to beat Sinks from the Professional Range are available in three different materials:
- Stainless steel Made from premium quality chrome nickel steel the perfect material for ensuring cleanliness and hygiene.

 These sinks look beautiful and are resistant to staining, chipping, rust and corrosion. Available in a number of finishes Including brushed, silk and 'Microdekor' a warm, subtle surface that's delightful to touch.
- Ceramic made from kiln-fired porcelain for a tough, smooth gloss finish able to stand up to even the harshest treatment.
 Ceramic Franke sinks have a fingertip-smooth high-gloss finish designed to look perfectly pristine even after years of loyal and hard-working service.
- Fragranite a unique material pioneered by Franke that contains 80% granite particles to resist burns, dents, chips and stains. Naturally textured, warm to the touch and with a subtle sheen, it comes in a wide range of colours with matching accessories and two different finishes: Fragranite or SilkSheen for a silkier finish.




Erica EUN 611 96 Accpack options: Not available



Erica EUX 611 78 Accpack options: Not available

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

Stainless Steel






 ${}^{\star}\text{The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.}$

Suggested Alternative Taps Erica Lever detail EUX 621 Stainless Steel & Zurich Chrome tap Swiss double edge profile handed** sink with an expanded second bowl for installations where space permits. Both bowls supplied with Basket Strainer Wastes (can also take a Waste Disposal Unit - see page 17). Simplon in Chrome Triflow Moderne in Chrome Sink €302.00 Tap €104.00

Erica EUX 621 Accpack options:



621A add €41.00



621B add €78.00

Available in White, Almond & Brown

Lira II plumbing

kit €30.00



Silk

Cabinet width

800mm

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

**In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. EUX 621 left hand drainer or EUX 621 right hand drainer.

Stainless Steel



Galassia GAX 611

Accpack options: Not available



Vita
VIX 611
Accpack options:
Not available

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

**In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. GAX 611 left hand drainer or GAX 611 right hand drainer.





Ariane ARX 661P Accpack options:



Stainless Steel Strainer bowl €85.00

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

**In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. ARX 661P left hand drainer or ARX 661P right hand drainer.

Stainless Steel



Ariane ARX 651P Accpack options:



Stainless Steel Strainer bowl €85.00



Simplon SPX 651 Accpack options:



Stainless Steel €85.00

Lira I plumbing

kit €30.0

Finish Silk

Cabinet width 600mm

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

**In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. ARX 651P left hand drainer or ARX 651P right hand drainer.





*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.

Fragranite





Stainless Steel Strainer bowl €85.00

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right.



NB. Ceramic sink measurements may vary +/- 1% due to the



*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right. ‡Basket Strainer Wastes available in Titanium at additional cost.

Ceramic



Galassia **GAK 611**

Accpack options: Not available

NB. Ceramic sink measurements may vary +/- 1% due to the firing process.

In right hand format the overflow will be situated on the front face of the



Belfast **BAK 710**


Accpack options: Not available

NB. Ceramic sink measurements may vary +/- 1% due to the firing process.

We recommend that the sink should be used as a template in all cases.

*The description 'reversible' means that the design enables the same sink to be turned with drainer on the left or drainer on the right. ‡Wastes available in Titanium at additional cost.

Professional Undermount Range/Plumbing Kits



[†]The description 'reversible' means that the design enables the same sink to be turned with small bowl on the left or on the right.

Plumbing Kits

Made of rigid grey polypropylene, these plumbing kits are the hygienic solution to a Franke sink waste system. The sinks in this brochure require a plumbing kit to be purchased separately. The plumbing kits recommended within this brochure are shown below.





Franke G-Clips

The next-generation installation system

Franke G-clip system under-mounted sinks,



savings. With this system you will see no visible difference from traditional fixing methods, whilst gaining the benefits of less installation time and effort required.

The innovative technology distributes weight from the clamps that can be fitted in minutes and are strong enough to withstand more than a 100kg weight. The application of sealant ensures a watertight seal, with the G-clip system firmly holding the sink in place. G-clips can easily be removed with a simple tap from a hammer. For more information and demonstration video visit www.franke.co.uk

Waste Disposal Units


A choice of four units designed to free the kitchen of unsightly and unhygienic organic household waste. Each unit is the essential add-on for ensuring that all Franke appliances and work surfaces remain looking immaculate.

30/05/2008

Thanks to a unique, permanent magnet motor, they reach high speed in a split second, producing more torque per kilo than any other of its type. Whilst running water through the unit, food waste is instantly liquefied into fine particles that are easily flushed through the pipework system.





Batch Feed model is activated by loading the chamber and rotating the WDU plug. Continuous Feed models are operated by an Air Switch (or alternative) and waste food is fed through the open neck of the unit. In both cases, a continuous supply of water is necessary whilst the WDU is in use. Member of REPIC for WEEE Regulations. EEE Producer Registration Number - WEE/DG0059TT.



The Professional range of taps — offering outstanding quality at an affordable price

Available in a wide range of finishes designed to complement our Professional range of sinks and with all the features and quality you would expect from Franke.






(1) Ceramic disc tap - may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap - usually suitable for any plumbing system. In some instances, $pull-out\ nozzle\ and\ spray\ taps\ may\ require\ additional\ pumping\ or\ local\ authority\ approval\ prior\ to\ installation.$

 $Franke\ strongly\ recommends\ that\ you\ consult\ your\ supplier/installer\ prior\ to\ purchase.$ The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow.




(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation. $Franke\ strongly\ recommends\ that\ you\ consult\ your\ supplier/installer\ prior\ to\ purchase.$

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer.

All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

Franke Triflow Moderne

At an affordable premium, why not consider upgrading to a water purification tap, which offers sleek good looks and all the desirable features of a dedicated filtered water supply as well as delivering hot, cold or mixed at the point of use?





Specifications

Sinks

Erica

EUN 611 96



Overall size: 965 x 510 430 x 420 x 180 Bowl size: **Cut-out size:** 949 x 494 cr=20 Cabinet width: 500



EUX 621

Overall size: 780 x 500 Bowl size: 340 x 420 x 175 **Cut-out size:** 764 x 484 cr=20 Cabinet width: 500

EUX 651

Overall size: 965 x 500 Bowl size: 340 x 420 x 175 165 x 300 x 130 **Cut-out size:** 949 x 484 cr=20

EUT 651



Overall size: 965 x 500 340 x 420 x 175 165 x 300 x 130 Cut-out size: 949 x 484 cr=20

Cabinet width: 600

Overall size: 1120 x 500 340 x 420 x 175 300 x 340 x 150 **Cut-out size:** 1104 x 484 cr=20 Cabinet width: 800

EUX 671

Overall size: 1325 x 500 340 x 420 x 175 340 x 420 x 175 165 x 300 x 130 Cut-out size: 1309 x 484 cr=20

Cabinet width: 1000

Galassia

GAX 611



Overall size: 1000 x 500 450 x 400 x 190 **Cut-out size:** 980 x 480 cr=20 Cabinet width: 600

VIX 611



Overall size: 860 x 510 340 x 420 x 175 Bowl size: **Cut-out size:** 844 x 494 cr=20 Cabinet width: 500



Overall size: 1000 x 510 340 x 420 x 175 Bowl size: 165 x 300 x 130 Cut-out size: 984 x 494 cr=20 Cabinet width: 600

ARX 661P



Overall size: 1000 x 510 Bowl size: 350 x 435 x 180 170 x 320 x 135

Cut-out size: 984 x 494 cr=20 Cabinet width: 600



Bowl size: 350 x 435 x 180 170 x 320 x 135 Cut-out size: 984 x 494 cr=20 Cabinet width: 600

SPX 651



Overall size: 1000 x 510 Bowl size: 350 x 435 x 180 170 x 320 x 135 **Cut-out size:** 984 x 494 Cabinet width: 600

COG 611



Overall size: 860 x 500 Bowl size: 355 x 420 x 200 Cut-out size: 846 x 486 cr=20 Cabinet width: 500

All Colours



Overall size: 970 x 500 Bowl size: 340 x 420 x 200 165 x 306 x 140 Cut-out size: 956 x 486 cr=20

Cabinet width: 600

All Colours



COG 621

Overall size: 1160 x 500 340 x 420 x 200 340 x 420 x 200 Cut-out size: 1146 x 486 cr=20 Cabinet width: 800

All Colours

Ariane

ARG 651



Overall size: 1000 x 515 Bowl size: 350 x 435 x 180 170 x 320 x 135 Cut-out size: 984 x 494 cr=20

All Colours

Specifications

Sinks

Calypso Ceramic

Calypso COK 611†



Overall size: 860 x 500 Bowl size: 360 x 420 x 185 Cut-out size: Cabinet width: 500

White E.Oatmeal Calypso COK 651†



Overall size: 1000 x 500 335 x 420 x 185 Bowl size:

160 x 360 x 185 930 x 470 cr=20

E.Oatmeal

Cabinet width: 600 White

Galassia GAK 611†*

Overall size: 1010 x 515 Bowl size: 465 x 415 x 200 Cut-out size: 965 x 475 cr=20 Cabinet width: 800

*NB. In right hand format the overflow will be situated on the front of the bowl.

Belfast BAK 710†



Overall size: 595 x 455 525 x 380 x 215 Bowl size: Cut-out size: N/A Cabinet width: 600

Compact Reversible Undermount NEW

Compact CPX 160P



Bowl size: 340 x 420 x 175 165 x 300 x 130 Utilise template

Cut-out size: Cabinet width: 600

†Ceramic sink measurements may vary +/- 1% due to the firing process. We recommend that the sink should be used as a template in all cases.

Professional taps

Zurich⁽¹⁾ NEW



Tap Height: 230 Spout Reach: 210 Base Diameter: 45 Tap cut-out: 35 Finishes: Chrome



Tap Height: 225 Spout Reach: 232 Base Diameter: 45 Tap cut-out: 35 Finishes: Chrome



Tap Height: 280 Spout Reach: 180 Base Diameter: Tap cut-out: 35 Finishes: Chrome Gold



Tap Height: 320 Spout Reach: 190 Base Diameter: 45 Tap cut-out: 35 Finishes: Chrome SilkSteel Fragranite colours

160

220

50

35



Tap Height: 340 Spout Reach: 190 Base Diameter: Tap cut-out: 35 Finishes: Chrome SilkSteel



Tap Height: 186 Spout Reach: 225 Base Diameter: 58.5 Tap cut-out: 35

Finishes: Chrome



.up
Spout Reach:
Base Diamete
Tap cut-out:
Finishes:
Chrome
SilkSteel



Tap Height: 160 Spout Reach: Base Diameter: Tap cut-out: 35 Chrome SilkSteel



Tap Height: 240 Spout Reach: 230 Base Diameter: 46 Tap cut-out: 35 Finishes: Chrome SilkSteel Bronze



Tap Height: 365 Spout Reach: 232 Requires 25mm tap holes Centres min 150 max 200 Finishes:

Chrome Gold



Tap Height: 240 Base Diameter: Tap cut-out: 35 Finishes: Chrome

(1) Ceramic disc tap — may require a 4 metre head of water in a conventional plumbing system. (2) Compression valve tap — usually suitable for any plumbing system. In some instances, pull-out nozzle and spray taps may require additional pumping or local authority approval prior to installation. Franke strongly recommends that you consult your supplier/installer prior to purchase.

The figure in the symbol is designed to indicate the relative flow rate performance for each tap. The rate is graded 1-8 where 1 is poor and 8 is excellent. Relative flow rates are only likely to be relevant in installations with a low head of water (below 4 metres) or low cold supply pressure. In either case you would be well advised to consult your supplier or installer. All Franke taps are designed to conform to Water Research Council requirements and are backed by nationwide servicing and guarantees.

P Indicates tap is fitted with a Perlator® providing a champagne-like flow.

Colours shown are for reference only. All sinks available with left or right hand drainer.

Colours shown are for reference only. All sinks available with left or right hand drainer.

The description 'reversible' means that the design enables the same sink to be turned to drainer on the left or drainer on the right. In the case of a 'handed' sink it is necessary to specify which side the drainer is required e.g. EUX 651 left hand drainer or EUX 621 right hand drainer. All bowls sizes and dimensions are described in mm.

Franke sinks are guaranteed for 25 years against manufacturing defect. Franke taps are guaranteed against defective materials and workmanship for 1 year in relation to coatings and finishes, and 5 years in relation to moving parts. Franke will replace (and where appropriate repair) defective sinks. In relation to taps, Franke will, where appropriate, provide replacement parts for your taps or replace your taps at their discretion. Any associated or ancillary costs to be incurred by you as a result of replacement of Franke sinks and taps under this guarantee shall in all cases be previously approved by Franke UK Limited. This guarantee is in addition to and does not affect your statutory rights. Prices shown are UK mainland prices effective from 1st July 2007 and included and the property of the proper include VAT at the current rate of 17.5%. This literature has been produced on chlorine free materials harvested from sustainable forests. The Franke policy is one of continual improvement and Franke reserves the right to alter models and specifications without notice. Front cover shows Galassia GAX 611 Sink with Zurich Ch